

# Globetrail



## based on Citroën

The first Dethleffs among the camper vans is also available with a Citroën base vehicle. The Globetrail is equipped with an extensive 90th anniversary equipment that will inspire you. It is the result of over 17 years of experience in the construction of camper vans and many beautiful and practical details.

### Technical info

Overall length, approx.	599 - 636 cm
Overall width, approx.	205 cm
Overall height, approx.	265 cm
Headroom in living area, approx.	190 cm

Maximum values partly not possible for all models or only in connection with certain options.

## Upholstery



+ Upholstery Camino


## Wood décor



+ Wood décor Noce Nagano

## Plus factors

- + Luxurious equipment also in the driver's cab: leather steering wheel, captain's chair with armrests and much more.
- + Radiator grille painted gloss black
- + Bumper painted in car colour
- + Loadable rear pull-out for all utensils that like to be within reach on arrival
- + No unnecessary stacking: simply fold up the bed bases. (Single bed use possible in the Globetrail 640).
- + Large, spacious handleless drawers with manual central locking system



# Globetrail



Globetrail		600	600 S	640	640 S
Standard chassis		Citroen Jumper	Citroen Jumper	Citroen Jumper	Citroen Jumper
Emission standards		Euro 6d Final	Euro 6d Final	Euro 6d Final	Euro 6d Final
Overall length, approx.	cm	599	599	636	636
Overall width, approx.	cm	205	205	205	205
Overall height, approx.	cm	265	265	265	265
Headroom in living area, approx.	cm	190	190	190	190
Towable load braked/unbraked	kg	2500 (750)	2500 (750)	2500 (750)	2500 (750)
Wheelbase, approx.	cm	404	404	404	404
Bed dimension: Central / middle bed, L X W, approx.	cm	180 x 88 ○	180 x 88 ○	180 x 88 ○	180 x 88 ○
Bed dimension: Rear bed, L x W, approx.	cm	197 x 157 - 140	197 x 157 - 140	195 - 179 x 197	195 - 179 x 197
Sleeping berths standard / max.		2 / 5 ○	2 / 5 ○	2 / 5 ○	2 / 5 ○
Standard engine		2.2 BlueHDi	2.2 BlueHDi	2.2 BlueHDi	2.2 BlueHDi
kW (bhp)		88 (120)	88 (120)	88 (140)	88 (140)
Mass in running order*	kg	2820 (2679 - 2961)*	(0 - 0)*	2970 (2822 - 3119)*	(0 - 0)*
Manufacturer-specified mass for optional equipment*	kg	314	-	170	-
Technically permissible maximum laden mass*	kg	3499	3499	3499	3499
Permitted number of seats (including driver)*		4	4	4	4
Waste water tank, approx.	l	90	90	90	90
Bed dimension: pop-up roof, L X W, approx.	cm	209 x 143 ○	209 x 143 ○	209 x 143 ○	209 x 143
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	100 / 20	100 / 20	100 / 20	100 / 20

○ Optional extra — Not possible ● Standard ◆ Mandatory △ Not yet known at the time of publication



\* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# Standard equipment

	600	600 S	640	640 S
<b>Engine Citroen</b>				
Citroen Jumper BlueHDi (2,2 l / 120 hp) - 3,499 kg permissible total weight <sup>1)</sup>	●	●	—	—
Citroen Jumper BlueHDi (2,2 l / 140 hp) - 3,499 kg permissible total weight	—	—	●	●
Light alloy wheel 16" - matt black <sup>1)</sup>	●	●	●	●
<b>Equipment Citroen</b>				
90 l Diesel tank	●	●	●	●
Battery 105 A/h	●	●	●	●
Cab air conditioning	●	●	●	●
Captain chair with two armrests, rotatable <sup>1)</sup>	●	●	●	●
Central glove box	●	●	●	●
Central locking	●	●	●	●
Cruise control	●	●	●	●
Cup Holder	●	●	●	●
DAB roof antenna with loudspeaker and radio preparation <sup>1)</sup>	●	●	●	●
Driver airbag	●	●	●	●
Driver's seat tilt adjustable	●	●	●	●
Driver/passenger seat in living room fabric	●	●	●	●
Driver/passenger seat swivelling, driver's seat additionally height-adjustable	●	●	●	●
ESP	●	●	●	●
Electric windows	●	●	●	●
Electrically adjustable and heated exterior mirrors	●	●	●	●
Fix & Go brakedown kit	●	●	●	●
Holding device for tablet and smartphone	●	●	●	●
LED daytime running lights (Globetrail 600) <sup>1)</sup>	●	●	—	—
LED daytime running lights (Globetrail 640) <sup>1)</sup>	—	—	●	●
Leather steering wheel and gear knob <sup>1)</sup>	●	●	●	●
Passanger seat height-adjustable <sup>1)</sup>	●	●	●	●
Passenger airbag	●	●	●	●
Power steering	●	●	●	●
Techno Trim: Aluminum applications on the ventilation nozzles <sup>1)</sup>	●	●	●	●
USB charging port	●	●	●	●
<b>Exterior Design</b>				
Bumper painted in vehicle colour <sup>8)</sup>	●	●	●	●
Icy White	●	●	●	●
<b>Exterior equipment</b>				
Awning <sup>1)</sup>	●	●	●	●
Awning light <sup>1)</sup>	●	●	●	●
Electric entry step	●	●	●	●
Flush fitting windows <sup>1)</sup>	●	●	●	●
Flyscreen door	●	●	●	●
Pre-wiring solar system <sup>1)</sup>	●	●	●	●
Skylight Midi-Heki 70 x 50 cm above dinette with fly screen and blind	●	●	●	●
Skylight Mini Heki 40 x 40 cm in the rear with flyscreen and blinds	●	●	●	●
Skylight in the bathroom with integrated fly screen	●	●	●	●
Window with flyscreen and blackout blind in the bathroom <sup>1)</sup>	●	●	●	●
Window with flyscreen and blackout blind in the rear right-hand side <sup>1)</sup>	●	●	●	●
Windows with fly screens and blackout blinds in the kitchen and at the seating area	●	●	●	●
Windows with flyscreen and blackout blind in rear doors	●	●	●	●
<b>Interior equipment</b>				
2-burner stove and sink combination with electric ignition	●	●	●	●
2x 230 V sockets, 1x 12 V socket, 1x double USB socket <sup>2)</sup>	●	●	●	●
6 years tightness warranty	●	●	●	●
Additional double USB socket in the front left (already included in technical data) <sup>1)</sup>	●	●	●	●

# Standard equipment

	600	600 S	640	640 S
Board control panel with indication of all fill levels and battery capacities	●	●	●	●
CEE exterior socket for 230 V with circuit breaker	●	●	●	●
Cab carpet <sup>1)</sup>	●	●	●	●
Carpet on pedestal (loosely) <sup>1)</sup>	●	●	●	●
Cassette toilet	●	●	●	●
Comfortable seating group with fabric covered side wall	●	●	●	●
Compressor fridge 84l incl. freezer 6.1l	●	●	●	●
Electric charger for body and vehicle battery 12 V / 18 A (trickle charge)	●	●	●	●
Ergonomically arranged kitchen with generous work surface	●	●	●	●
Ergonomically shaped pads for more sitting comfort	●	●	●	●
Fixed sink	●	—	●	—
Flexible light strip, surface mounted spot freely positionable	●	●	●	●
Folding privacy screen in driver's cab: side windows	●	●	●	●
Folding privacy screen in driver's cabin: windscreen	●	●	●	●
Front with spacious storage above the driver's cab	●	●	●	●
Gas shut-off valves easily accessible and centrally located	●	●	●	●
Generous storage space and storage options	●	●	●	●
Generous storage space in the bathroom	●	●	●	●
Indirect lighting, dimmable <sup>1)</sup>	●	●	●	●
Innovative pull-out under the rear bed	●	●	●	●
Isofix for one seat	●	●	●	●
LED light tube in the kitchen	●	●	●	●
Light switch optimally palced in the vehicle, e.g. directly at the entrance	●	●	●	●
Partition wall incl. steps to enter the rear double bed	—	—	●	●
Partition wall incl. steps to enter the rear double bed	●	●	—	—
Platform of the seating group with indirect lighting with automatic door opening system	●	●	●	●
Platform of the seating group with integrated storage compartment	●	●	●	●
Powerful, maintenance-free battery (95 Ah)	●	●	●	●
Pre-wiring for reversing camera <sup>1)</sup>	●	●	●	●
Rear bed with folding slatted frame	●	●	●	●
Rear storage space with 4 integrated lashing eyes	●	●	●	●
Shower equipment (shower head extendable, shower curtain, guide rail, shower holder, coat hook)	●	—	●	—
Spacious drawer with Servosoft pull-out	●	●	●	●
Storage space for gas cylinders with 11 kg filling weight each: 2 pcs.	●	●	●	●
Swivel bath with swing wall in frosted glass look and shower equipment <sup>3)</sup>	—	●	—	●
Swivelling table extension <sup>1)</sup>	●	●	●	●
TV preparation 12 V, SAT connection, TV bracket <sup>1)</sup>	●	●	●	●
Upholstery Camino	●	●	●	●
Water tank 100l, waste water tank 90l	●	●	●	●
Wood décor Noce Nagano	●	●	●	●
<b>Heating</b>				
Hot air heating 4 kW with hot water boiler	●	●	●	●
Standard control panel for CP Classic heater, analogue	●	●	●	●

## Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	600	600 S	640	640 S
<b>Engine Citroen</b>							
Citroen Jumper BlueHDi (2,2 l / 165 hp) - 3,499 kg permissible total weight	—	0	12755	○	○	—	—
Citroen Jumper BlueHDi (2,2 l / 140 hp) - 3,499 kg permissible total weight	—	0	12754	○	○	—	—
Citroen Jumper BlueHDi (2,2 l / 165 hp) - 3,499 kg permissible total weight	—	0	12760	—	—	○	○
Citroen Jumper Heavy BlueHDi (2,2 l / 165 hp) - 3,499 kg permissible total weight	—	40	12762	—	—	○	○
Citroen Jumper Maxi BlueHDi (2.2 l / 140 hp) - 3,499 kg gross vehicle weight rating	—	40	12761	—	—	○	○
<b>Equipment Citroen</b>							
Blind Spot Assist with accessories	—	△	11058, 13425	○	○	○	○
Cab air conditioning automatic	—	△	1429	○	○	○	○
Electrical preparation for trailer coupling	—	△	13341	○	○	○	○
Fog lights	—	2	1426	○	○	○	○
Parking assist (park sensors rear) <sup>5)</sup>	—	0.5	1434	○	○	○	○
Safety package: Emergency brake assistant with pedestrian and cyclist detection, lane departure warning, rain and dusk sensor, traffic sign recognition and automatic dimming	—	0.5	11060	○	○	○	○
Steering wheel control for radio	—	△	10199	○	○	○	○
Tire pressure monitoring system	—	0	tbd.	○	○	○	○
Towing hitch removable	—	40	9186	○	○	○	○
Traction +	—	0.5	1438	○	○	○	○
<b>Exterior Design</b>							
Artense Grey Metallic <sup>8)</sup>	—	2.5	10943	○	○	○	○
Expedition Grey <sup>8)</sup>	—	0	13104	○	○	○	○
Graphit Grey Metallic <sup>8)</sup>	—	2.5	1445	○	○	○	○
Thunder Grey <sup>8)</sup>	—	0	13103	○	○	○	○
<b>Exterior equipment</b>							
Pop-up roof, black, completely openable at the front incl. electric closing assistant, fly screen, gooseneck light and USB socket, with high-quality mattress <sup>9)</sup>	—	127	10306	○	○	○	○
Window with flyscreen and blackout blind in the rear left side	—	5	354	○	○	○	○
<b>Interior equipment</b>							
Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter	—	0.7	1577	○	○	○	○
Guest bed across the living area	—	9	1944	○	○	○	○
Second habitation battery 95 Ah	—	27	830	○	○	○	○
<b>Miscellaneous</b>							
Registration documents	—	0	15152	◆	◆	◆	◆

○ Optional extra   — Not possible   ● Standard   ◆ Mandatory   △ Not yet known at the time of publication

















































\* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# Motorhomes 2023

		PULLDOWN BED	SINGLE BEDS														
Low Profile		Just 90	Just 90		Trend							Pulse Classic 90					
	Length	9 m															
		8 m															
		7 m	T 6762	T 6812 EB	T 7052 EB	T 7052 EBL	T 6717 EB	T 7017 EB	T 7057 EB	T 7057 EBL				T 7051 EB	T 7051 EBL		
		6 m															
A Class							Trend				Globebus		Pulse		Esprit		XXL
	Length	9 m															
		8 m															
		7 m					I 6717 EB	I 7017 EB	I 7057 EB	I 7057 EBL	I 6	I 7051 EB	I 7051 EBL		I 7150-2 EB	I 7150-2 EBL	I 7850-2 EB
		6 m															
Coachbuilt																	XXL
	Length	9 m															
		8 m															
		7 m															
		6 m															
	Width	2,33 m	2,33 m	2,33 m	2,33 m	2,33 m	2,33 m	2,33 m	2,33 m	2,20 m	2,33 m	2,33 m		2,33 m	2,33 m		2,35 m

QUEEN BEDS / FRENCH BED						CROSS BEDS	U-SHAPED LOUNGE			
Just 90	Trend	Pulse	Pulse Classic 90							
    	 		 							
    	 		 							
T 6752 DBL	T 7052 DBM	T 7052 DBL	T 7057 DBM	T 7057 DBL						
	 									
	 									
	T 6905									
	T 7055 DBL									
2,33 m	2,33 m	2,33 m	2,33 m	2,33 m	2,33 m					
	Trend	Pulse		Esprit	XLI	Globebus	Alpa			
	 	 		 			 			
	 	 		 			 			
	I 7057 DBM	I 7057 DBL	I 7051 DBM	I 7051 DBL	I 7150-2 DBM	I 7150-2 DBL	I 7850-2 DBM	I 1	I 6820-2	I 7820-2
	2,33 m	2,33 m	2,33 m	2,33 m	2,33 m	2,33 m	2,33 m	2,20 m	2,33 m	2,33 m
									Alpa	
									 	
									 	
									A 6820-2	A 7820-2
									2,33 m	2,33 m