## Globetrail



#### on the basis of Fiat

With its many years of experience, Dethleffs has designed a Camper Van that will delight you with a particularly extensive 90th anniversary equipment - of course in the well-known Dethleffs quality. Trust in the concentrated expertise of 90 years of recreational vehicle construction and look forward to the first Dethleffs among Fiat-based Camper Vans.

Technical info	
Overall length, approx.	599 - 636 cm
Overall width, approx.	205 cm
Overall height, approx.	265 cm
Headroom in living area, approx.	190 cm

Maximum values partly not possible for all models or only in connection with certain options.

## Upholstery



+ Upholstery Camino

#### Wood décor



+ Wood décor Noce Nagano

## Plus factors

- + Luxurious equipment also in the driver's cab: leather steering wheel, captain's chair with armrests and much
- + Radiator grille painted gloss black
- + Bumper painted in car colour
- + Loadable rear pull-out for all utensils that like to be within reach on arrival
- + No unnecessary stacking: simply fold up the bed bases. (Single bed use possible in the Globetrail 640).
- + Large, spacious handleless drawers with manual central locking system

























#### Globetrail

Globetrail		600	600 S	640	640 S
Standard chassis		Fiat Ducato 8 (2022)			
Emission standards		Euro 6d Final	Euro 6d Final	Euro 6d Final	Euro 6d Final
Overall length, approx.	cm	599	599	636	636
Overall width, approx.	cm	205	205	205	205
Overall height, approx.	cm	265	265	265	265
Headroom in living area, approx.	cm	190	190	190	190
Towable load braked/unbraked	kg	2500 (750)	2500 (750)	2500 (750)	2500 (750)
Wheelbase, approx.	cm	404	404	404	404
Bed dimension: Central / middle bed, L X W, approx.	cm	180 x 88 O			
Bed dimension: Rear bed, L x W, approx.	cm	197 x 157 - 140	197 x 157 - 140	195 - 179 x 197	195 - 179 x 197
Sleeping berths standard / max.		2/50	2/50	2/50	2/50
Standard engine		Multijet 2.2	Multijet 2.2	Multijet 2.2	Multijet 2.2
kW (bhp)		88 (120)	88 (120)	104 (140)	104 (140)
Mass in running order*	kg	2820 (2679 - 2961)*	(0 - 0)*	2970 (2822 - 3119)*	(0 - 0)*
Manufacturer-specified mass for optional equipment*	kg	314	-	170	-
Technically permissible maximum laden mass*	kg	3499	3499	3499	3499
Permitted number of seats (including driver)*		4	4	4	4
Waste water tank, approx.	1	90	90	90	90
Bed dimension: pop-up roof, L X W, approx.	cm	209 x 143 🔿	209 x 143 O	209 x 143 O	209 x 143
Fresh water tank capacity, total/ Fresh water tank capacity at d filling	riving I	100 / 20	100 / 20	100 / 20	100 / 20

O Optional extra — Not possible ● Standard ◆ Mandatory △ Not yet known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional requipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Standard equipment		S		S
	009	9 009	640	640
Engine Fiat				
Fiat Ducato MultiJet 120 (2.2   / 120 bhp) - 3,499 kg permissible weight 1)	•	•	_	_
Fiat Ducato MultiJet 140 (2.2   / 140 bhp) - 3,499 kg permissible weight	_	_		•
Light alloy wheel Fiat Alu light 16" - black matt <sup>1)</sup>	•	•		•
Equipment Fiat				
90   Diesel tank <sup>1)</sup>	<u> </u>	•		<del>-</del>
Anti-lock braking system (ABS)				•
Battery 105 A/h	•	•	•	•
Black headlight surround <sup>1)</sup>				•
Cab air conditioning	•	•	•	•
Captain chair with two armrests <sup>1)</sup>				•
Central glove box	•			•
Cruise control				•
Cup Holder	•			•
DAB roof antenna with loudspeaker and radio preparation <sup>1)</sup>				•
Disc brakes, rear and front axle stabiliser, forced-air heating, rev counter, power steering, height-adjustable headlights, immobiliser	•	•	•	•
Driver airbag				•
Driver and passenger seats in upholstery colour	•	•	•	•
Driver's seat tilt adjustable				
Driver/passenger seat swivelling, driver's seat additionally height-adjustable	•	•	•	•
ESP				
Electrically adjustable and heated exterior mirrors	•	•	•	•
Fix & Go brakedown kit				
Holding device for tablet and smartphone	•	•	•	•
LED daytime running light 1)				
Leather steering wheel and gear knob 1)	•	•	•	•
On-board computer including outside temperature display				
Passanger seat height-adjustable <sup>1)</sup>				
Passenger airbag				
Radiator grille glossy black <sup>1)</sup>		•		•
Skid plate black <sup>1)</sup>				
Techno Trim: Aluminum applications on the ventilation nozzles 1)				
USB charging port		•		_
Exterior design Fiat				
Bumper painted in vehicle colour <sup>1)</sup>				
White	•	•	•	•
Exterior equipment				
Awning <sup>1)</sup>	•	•	•	•
Awning light <sup>1)</sup>				•
Electric entry step	•	•	•	•
Flush fitting windows <sup>1)</sup>				•
Flyscreen door	•	•	•	•
Pre-wiring solar system <sup>1)</sup>	•			
Skylight Midi-Heki 70 x 50 cm above dinette with fly screen and blind	•	•	•	•
Skylight Mini Heki 40 x 40 cm in the rear with flyscreen and blinds				
Skylight in the bathroom with integrated fly screen	•	•	•	•
Window with flyscreen and blackout blind in the bathroom 1)				
Window with flyscreen and blackout blind in the rear right-hand side <sup>1)</sup>	•	•	•	•
Windows with fly screens and blackout blinds in the kitchen and at the seating area			•	
Windows with flyscreen and blackout blind in rear doors	•	•	•	•
Interior equipment				
2-burner stove and sink combination with electric ignition	•	•	•	•

Standard equipment	009	S 009	640	640 S
2x 230 V sockets, 1x 12 V socket, 1x double USB socket <sup>2)</sup>				
6 years tightness warranty				
Additional double USB socket in the front left (already included in technical data) 1)				
Board control panel with indication of all fill levels and battery capacities				
CEE exterior socket for 230 V with circuit breaker				
Cab carpet 1)				
Carpet on pedestal (loosely) 1)				
Cassette toilet				
Comfortable seating group with fabric covered side wall				
Compressor fridge 84l incl. freezer 6.1l				
Electric charger for body and vehicle battery 12 V / 18 A (trickle charge)				
Ergonomically arranged kitchen with generous work surface				
Ergonomically shaped pads for more sitting comfort				
Fixed sink				
Flexible light strip, surface mounted spot freely positionable				
Folding privacy screen in driver's cab: side windows				
Folding privacy screen in driver's cabin: windscreen				
Front with spacious storage above the driver's cab				
Gas shut-off valves easily accessible and centrally located				
Generous storage space and storage options				
Generous storage space and storage options  Generous storage space in the bathroom				
Indirect lighting, dimmable 1)				
Innovative pull-out under the rear bed				
Isofix for one seat				
LED light tube in the kitchen				
Light switch optimally palced in the vehicle, e.g. directly at the entrance				
Partition wall incl. steps to enter the rear double bed				
Partition wall incl. steps to enter the rear double bed				
Platform of the seating group with indirect lighting with automatic door opening system				
Platform of the seating group with integrated storage compartment				
Powerful, maintenance-free battery (95 Ah)				
Pre-wiring for reversing camera <sup>1)</sup>				
Rear bed with folding slatted frame				
Rear storage space with 4 integrated lashing eyes				
Shower equipment (shower head extendable, shower curtain, guide rail, shower holder, coat hook)		_		
Spacious drawer with Servosoft pull-out				
Storage space for gas cylinders with 11 kg filling weight each: 2 pcs.				
Swivel bath with swing wall in frosted glass look and shower equipment <sup>3)</sup>				
Swivelling table extension <sup>1)</sup>				
TV preparation 12 V, SAT connection, TV bracket <sup>1)</sup>			•	
Upholstery Camino				
Water tank 100l, waste water tank 90l			•	
Wood décor Noce Nagano				
Heating				
Hot air heating 4 kW with hot water boiler				
Standard control panel for CP Classic heater, analogue				

### **PACKAGES GLOBETRAIL**

#### Digital Package (12845)

10" radio navigation with touch screen HD colour display

Digital cockpit

Rear view camera

Additional weight (kg) 3.96

△ Not yet known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Optional equipment*	Included in package	Additional weight (kg)*	Code	009	S 009	640	640 S
Engine Fiat							
Fiat Ducato MultiJet 140 (2,2   / 140 bhp) - 3,499 kg permissible total weight - automatic transmission	_	35	12053	0	0	_	_
Fiat Ducato MultiJet 140 (2.2   / 140 bhp) - 3,499 kg permissible weight	_	0	12052	0	0	_	_
Fiat Ducato MultiJet 140 (2.2   / 140 bhp) - 3,499 kg permissible weight - automatic transmission	_	35	12066	_	_	0	0
Fiat Ducato MultiJet 140 Maxi (2.2 l / 140 hp) - 3,500 kg permissible weight	_	40	12071	_	_	0	0
Fiat Ducato MultiJet 140 Maxi (2.2 l / 140 hp) - 3,500 kg permissible weight - automatic transmission	_	40	12072	_	_	0	0
Fiat Ducato MultiJet 180 (2.2 l / 180 bhp) - 3,499 kg permissible weight	_	0	12056	0	0	_	_
Fiat Ducato MultiJet 180 (2.2   / 180 bhp) - 3,499 kg permissible weight	_	0	12069	_	_	0	0
Fiat Ducato MultiJet 180 (2.2 I / 180 bhp) - 3,499 kg permissible weight - automatic transmission	_	35	12057	0	0	-	_
Fiat Ducato MultiJet 180 (2.2 l / 180 bhp) - 3,499 kg permissible weight - automatic transmission	_	35	12070	_	_	0	0
Fiat Ducato MultiJet 180 Maxi (2,2 l / 180 hp) - 3,500 kg permissible weight	_	40	12075	_	_	0	0
Fiat Ducato MultiJet 180 Maxi (2,2   / 180 hp) - 3,500 kg permissible weight - automatic transmission	_	40	12076	_	_	0	0
Packages							
Digital Package		3.96	12845	0	0	0	0
Equipment Fiat							
230 V socket in front console	_	0.1	12102	0	0	0	0
Blind Spot Assist with accessories	_	Δ	10737, 13426	0	0	0	0
Cab air conditioning automatic	_	Δ	1310	0	0	0	0
Electric parking brake <sup>6)</sup>	_	-9.4	12098	0	0	0	0
Electrical preparation for trailer coupling	_	Δ	9260	0	0	0	0
Fog lights	_	2	12097	0	0	0	0
LED headlights (LED low and high beam, LED daytime running lights)		Δ	12089	0	0	0	0
Parking assist (park sensors rear) 5)	_	0.5	053	0	0	0	0
Safety package: Emergency Brake Assist with Pedestrian and Cyclist Detection Lane Keeping Assist Rain and Density Sensor Traffic Sign Recognition Auto Dimming <sup>7)</sup>	_	0.5	12109	0	0	0	0
Steering wheel control for radio	_	0.4	1453	0	0	0	0
Towing hitch removable		40	9198	0	0	0	0
Traction+	_	0.5	1407	0	0	0	0
Tyre pressure control system		0.8	7704	0	0	0	0
Wireless phone charger for option automatic air conditioning <sup>4)</sup>	_	Δ	12101	0	0	0	0
Exterior design Fiat							
Artense Grey Metallic <sup>8)</sup>	_	2.5	12734	0	0	0	0
Black Metallic <sup>8)</sup>	_	2.5	1333	0	0	0	0
Expedition Grey <sup>8)</sup>	_	0	9741	0	0	0	0
Lanzarote Grey <sup>8)</sup>		0	12084	0	0	0	0
Exterior equipment							
Pop-up roof, black, completely openable at the front incl. electric closing assistant, fly screen, gooseneck light and USB socket, with high-quality mattress <sup>9)</sup>	_	127	10306	0	0	0	0
Window with flyscreen and blackout blind in the rear left side	_	5	354	0	0	0	0
Interior equipment							
Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter	_	0.7	1577	0	0	0	0
Guest bed across the living area	_	9	1944	0	0	0	0
Second habitation battery 95 Ah	_	27	830	0	0	0	0



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for actional equipment change in the model programs. This is a calculated to the contract of the selected optional equipment change in the model programs. This is a calculated to the contract of the selected optional equipment in the model programs. optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes. footnotes.

#### Additional Code Included in Optional equipment\* package weight (kg)\* Miscellaneous **\* \* \* \*** Registration documents 15152

O Optional extra ─ Not possible ● Standard ♦ Mandatory △ Not yet known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# **Motorhomes 2023**

XLI
5 P
2 17850-2 EB
n 2,33 m XXL
6 1
A 9000-2 EB
O. C.

	QI	JEEN BEDS / FREN	ICH BED		CROSS BEDS	U-SHAPED LOUNGE
Just 90	Trend	Pulse	Pulse Classic 90			
5 P 5 P 5 P	5 P 5 P		The state of the s			
T6752 T7052 T7052 DBL DBM DBL	T7057 T7057 DBM DBL		T7051 T7051 DBM DBL			
	Just do					
	T 6905 T 7055 DBL					
2,33 m 2,33 m 2,33 m	2,33 m 2,33 m	Dulas	2,33 m 2,33 m	Facció VII	Clababua	Alaa
	Trend	Pulse		Esprit XLI	Globebus	Агра
	max 5 P 4 P	max 4 P 4 P		5 M 4 M 5 M	max 4	4 7
	17057 17057 DBM DBL	17051 17051 DBM DBL		17150-2 17150-2 DBM DBL DBM	I1	16820-2 17820-2
	2,33 m 2,33 m	2,33 m 2,33 m		2,33 m 2,33 m 2,33 m	2,20 m	2,33 m 2,33 m Alpa
						Aipo
						4 7
						A A 7820-2
	<u>.</u>	: : :				2,33 m 2,33 m